



metroSTOR H-Series Bin Storage Buildings

Integrating waste streams in a manner that inhibits risk and encourages sustainability is a fundamental principle of all metroSTOR waste and recycling storage solutions. While traditional bin storage buildings act as a standard practice for the removal of waste, they carry elements of risk, from generating fire hazards to providing a platform for anti-social behaviour.

In contrast, metroSTOR PBH Bin Room Buildings make for an efficient use of available space, consolidating waste streams in either a single or a series of neat recycling systems. The structure is intentionally designed to be visually attractive and a welcoming system for users to employ. This aids peace of mind by encouraging a more responsive environment, while the addition of access control variations supply security measures and restrict the occurrence of vandalism.

A reduced level of fire risk is achieved by their exterior location, where they are often implemented close to buildings and within the user line of sight. If the unit cannot be located outside of the six metre recommended distance due to site constraints, our outdoor bin storage system can be customised with fire-resistant wall and roof cladding options.

A highly flexible design platform ensures distinct variety, with 65 different pre-engineered units available, along with the option for bespoke structures. Green roof designs represent a nod to the rising popularity of greener initiatives, adding visual appeal and benefitting the environment by aiding biodiversity and encouraging natural habits for birds and insects.

Customise

A wide range of cladding options are available to select according to site use, architectural style and surrounding environment

Multiple Door Locations

Are possible within the design format to accommodate 2 and 4 wheeled containers.



Green Roof

This option not only adds visual appeal but also benefits the environment by supporting biodiversity and promoting natural habitats for birds and insects.

Fire-Resistance


If the unit cannot be located outside of the six metre recommended distance our outdoor bin housings can be specified with fire-resistant wall and roof cladding options.

Pre-Engineered

Available with 65 different pre-engineered units


Product Capacity & Dimensions

PBH24




Model	Depth (mm)	Width (mm)	Height (mm)
PBH 24.26	2730	2720	2340
PBH 24.32	2730	3320	2340
PBH 24.38	2730	3920	2340
PBH 24.44	2730	4520	2340
PBH 24.50	2730	5120	2340
PBH 24.56	2730	5720	2340
PBH 24.62	2730	6320	2340
PBH 24.68	2730	6920	2340
PBH 24.74	2730	7520	2340
PBH 24.80	2730	8120	2340
PBH 24.86	2730	8720	2340
PBH 24.92	2730	9320	2340
PBH 24.98	2730	9920	2340

PBH30




Model	Depth (mm)	Width (mm)	Height (mm)
PBH 30.26	3330	2720	2340
PBH 30.32	3330	3320	2340
PBH 30.38	3330	3920	2340
PBH 30.44	3330	4520	2340
PBH 30.50	3330	5120	2340
PBH 30.56	3330	5720	2340
PBH 30.62	3330	6320	2340
PBH 30.68	3330	6920	2340
PBH 30.74	3330	7520	2340
PBH 30.80	3330	8120	2340
PBH 30.86	3330	8720	2340
PBH 30.92	3330	9320	2340
PBH 30.98	3330	9920	2340

PBH36



Model	Depth (mm)	Width (mm)	Height (mm)
PBH 36.26	3920	2720	2340
PBH 36.32	3920	3320	2340
PBH 36.38	3920	3920	2340
PBH 36.44	3920	4520	2340
PBH 36.50	3920	5120	2340
PBH 36.56	3920	5720	2340
PBH 36.62	3920	6320	2340
PBH 36.68	3920	6920	2340
PBH 36.74	3920	7520	2340
PBH 36.80	3920	8120	2340
PBH 36.86	3920	8720	2340
PBH 36.92	3920	9320	2340
PBH 36.98	3920	9920	2340


PBH42



Model	Depth (mm)	Width (mm)	Height (mm)
PBH 42.26	4530	2720	2340
PBH 42.32	4530	3320	2340
PBH 42.38	4530	3920	2340
PBH 42.44	4530	4520	2340
PBH 42.50	4530	5120	2340
PBH 42.56	4530	5720	2340
PBH 42.62	4530	6320	2340
PBH 42.68	4530	6920	2340
PBH 42.74	4530	7520	2340
PBH 42.80	4530	8120	2340
PBH 42.86	4530	8720	2340
PBH 42.92	4530	9320	2340
PBH 42.98	4530	9920	2340


Product Capacity & Dimensions

PBH48



Model	Depth (mm)	Width (mm)	Height (mm)
PBH 48.26	5130	2720	2340
PBH 48.32	5130	3320	2340
PBH 48.38	5130	3920	2340
PBH 48.44	5130	4520	2340
PBH 48.50	5130	5120	2340
PBH 48.56	5130	5720	2340
PBH 48.62	5130	6320	2340
PBH 48.68	5130	6920	2340
PBH 48.74	5130	7520	2340
PBH 48.80	5130	8120	2340
PBH 48.86	5130	8720	2340
PBH 48.92	5130	9320	2340
PBH 48.98	5130	9920	2340

Locking Systems



Latch + Battery Code Lock



Latch + Eurocylinder Lock



Slam Latch + Eurocylinder Lock



Slam Latch + FB2 Key Lock




Latch Only



Slide Bolt + Padlock

Cladding & Finish Examples



Firenze Anthracite Grey / FR

Firenze Nordic Night Black / FR

Firenze Leaf Green / FR

Firenze Colour Powder Coat / FR

Firenze Colour Powder Coat

Firenze Freestyle Colour Powder Coat

ForestPanel SW Slat

ForestPanel Colour SW Slat

ForestPanel SW TGV

ForestPanel Cedar Slat

ForestPanel Iroko Slat

ForestPanel FR

